Muzzle

Use alcohol based hand rub



Yes= 2 points No=0 points

Assemble supplies

- Gauze (they will be pre-cut to size)
- Patient



Yes= 2 points No=0 points

Spoke to dog in calm, affectionate tone throughout procedure





Yes= 2 points

No=0 points

Using piece of gauze, make a loop by tying an overhand knot that is not tightened down



Yes= 2 points No=0 points

Have the dog either restrained by the scruff of the neck or by a leash

- You can ask your judge to restrain for you.



Yes= 2 points

No=0 points

Stood slightly to the right or left of the dog's head, just of its reach, and slid the loop around the dog's muzzle



Yes= 2 points No=0 points


Quickly tightened by pulling on ends of gauze



Yes= 2 points No=0 points

Crossed the gauze under the dog's chin





Yes= 2 points No=0 points

Brought ends of muzzle up behind dog's ears and tied using a bowknot



Yes= 2 points No=0 points

Removal: Untied the bowknot and gently pulled off the muzzle




Yes= 2 points No=0 points

Was careful that the dog did not bite, that the head was restrained carefully



Yes= 2 points No=0 points

Verbally describe the procedures as they are doing them



Yes= 3 points No=0 points

Points for section

- 25*2
- Total for this section: 50

Drawing Syringe and Injection

Used alcohol-based handrub for hand hygiene



Yes= 1 point No=0 points


Apply latex gloves



Yes= 1 point No=0 points


Assembled equipment and supplies

- Question
- calculator
- Syringe w/ needle
- Medication
- Alcohol prep
- Orange in sock (patient)



Yes= 2 points No=0 points

Properly read medication label out loud and calculate amount to be given. Verbalized amount to be given.



- Example 1:

25 lb. pig needs an injection of FluAway. The label reads: Give 1cc/cwt IM.

Yes= 3 points Part complete=2 or 1 No=0 points

Calculate

Cwt= means per 100 lbs.

$$25\ \text{lbs} \cdot \frac{1\ \text{cc}}{100\ \text{lbs}} = 0.25\ \text{cc}$$

(or mls)

Properly draw up the proper amount of liquid, aspirating desired amount of medication by withdrawing the syringe plunger






Yes= 2 points

No=0 points

Hold syringe vertically and move air bubbles out of syringe. Cap needle until injection



Yes= 2 points No=0 points

Clean site with alcohol



1. Use an alcohol swab to clean the skin where you will give the shot.

Yes= 2 points No=0 points

Properly inject the liquid using the appropriate method given on the medication label (IM or Sub Q). Aspirate to check for blood



2. Hold the muscle firmly and insert the needle into the muscle at a 90° angle (straight up and down) with a quick firm motion.



4. Gently pull back on the plunger of the syringe to check for blood. (If blood appears when you pull back on the plunger, withdraw the needle and syringe and gently press the alcohol swab on the injection site. Start over with a fresh needle.)

Yes= 3 points Part complete= 2 or 1 No=0 points

Remove needle from site and gently massage




Yes= 1 point No=0 points

Cap needle and deposit in sharps container



Yes= 2 points Part complete=1 No=0 points

Verbally describe the procedures as they are doing them and know and be able to describe what is meant by IM and Sub Q



- IM=intramuscular or in the muscle
- Sub Q=subcutaneous or under the skin

Yes= 4 points, Part=3, 2 or 1 No=0 points

Removed gloves and used alcohol-based hand rub for hand hygiene





Yes= 2 points No=0 points

Total points for section

- Injection: 25*2=50
- Muzzle: 25*2=50
- Total Points: 100